

Quality Test Report

ORIGINAL

Test Report No. TW-2360203B

(Page 1 of 1)

Applicant: New Island Printing Group Co., Ltd.

July 17, 2023

Test results to submitted sample are as follows.

Reception Date : June 26, 2023

Item Name : AGS-WB (side 2)

Number of Item : 1

Test Item : The test of the antiviral efficacy

Test Method : It conformed to ISO21702: 2019

Wash-out solution: SCDLP medium

Test virus : Feline calicivirus ATCC VR-782

Test Result :

Concentration of the test virus: 3.3×10^7 PFU/mL

		The common logarithm average of infectivity titer value
Untreated specimens	Immediately after inoculation [U_0]	5.91
	After 24 h [U_t]	4.62

* Untreated specimens : Polyethylene film

Test sample	The common logarithm average of infectivity titer value	Antiviral activity value [$U_t - A_t$]
AGS-WB (side 2) [A_t]	2.91	1.7

*The volume of test inoculum used: 0.4mL The size of the cover film: 16cm²

* This sample was tested on client specified side.

*Feline calicivirus is used as a replacement for norovirus, since it is a non-enveloped virus with a single-stranded RNA.

*Tested by Boken Osaka laboratory.

BOKEN QUALITY EVALUATION INSTITUTE
Taiwan Testing Center

Supervised by

A. Y. Yamamoto

Notice - This test result is applied to the submitted sample, not to the lot.
Unauthorized reproduction, in whole or in part, is strictly prohibited.

